Revision Date 09/18/2014



1. Identification

Product name	:	SikaPronto [®] 19 TF Part B
Supplier	:	Sika Corporation
Address	:	201 Polito Avenue Lyndhurst, NJ 07071 USA www.sikausa.com
Telephone	:	(201) 933-8800
Telefax	:	(201) 804-1076
Emergency telephone	:	CHEMTREC: 800-424-9300 INTERNATIONAL: 703-527-3887 ehs@sika-corp.com
Recommended use of the chemical and restrictions on use	:	For further information, refer to the product technical data sheet.

2. Hazards identification

GHS Classification

Organic peroxides , Type C Eye irritation , Category 2A Skin sensitization , Category 1

GHS Label element

Hazard pictograms

Signal Word

Hazard Statements

H242: Heating may cause a fire. H319: Causes serious eye irritation. H317: May cause an allergic skin reaction.



H242 Heating may cause a fire.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.

Precautionary Statements : Pr

: Prevention: P210 Keep awa

P210 Keep away from heat/sparks/open flames/hot surfaces. -No smoking. P220 Keep/Store away from clothing/ combustible materials. P234 Keep only in original container.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ eye protection/ face protection. **Response:**

Revision Date 09/18/2014



P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. Storage: P410 Protect from sunlight. P411 + P235 Store at temperatures not exceeding 22 °C/72 °F. Keep cool. P420 Store away from other materials. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

See Section 11 for more detailed information on health effects and symptoms.

3. Composition/information on ingredients

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
C9-11-branched alkyl benzoate	131298-44-7	>= 10 - < 20 %
dibenzoyl peroxide	94-36-0	>= 10 - < 20 %

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures

If inhaled	: Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	 Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.

Revision Date 09/18/2014



	Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: irritant effects sensitizing effects
	Allergic reactions Excessive lachrymation See Section 11 for more detailed information on health effects and symptoms.
Protection of first-aiders	: Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attendance.
Notes to physician	: Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	: Water High volume water jet	
Specific hazards during fire fighting	: Do not use a solid water stream as it may scatter and spread fire.	d
Specific extinguishing methods	 Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately. Th must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. 	
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus	-

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures		Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Revision Date 09/18/2014



7. Handling and storage

Advice on safe handling	:	Do not breathe vapors or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Open drum carefully as content may be under pressure. Follow standard hygiene measures when handling chemical products.
Conditions for safe storage	:	Store in original container. Store in cool place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Store in accordance with local regulations.
Materials to avoid	:	Acids and bases, Reducing agents, Heavy metals

8. Exposure controls/personal protection

Component	CAS-No.	Basis **	Value	Exposure limit(s)* / Form of exposure
dibenzoyl peroxide	94-36-0	ACGIH	TWA	5 mg/m3
		OSHA Z-1	TWA	5 mg/m3
		OSHA P0	TWA	5 mg/m3

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

**<u>Basis</u>

ACGIH. Threshold Limit Values (TLV) OSHA P0. Table Z-1, Limit for Air Contaminat (1989 Vacated Values) OSHA P1. Permissible Exposure Limits (PEL), Table Z-1, Limit for Air Contaminant OSHA P2. Permissible Exposure Limits (PEL), Table Z-2 OSHA Z3. Table Z-3, Mineral Dust

Engineering measures	: Use of adequate ventilation should be sufficient to control worker exposure to airborne contaminants. If the use of this product generates dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
----------------------	---

Revision Date 09/18/2014



The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits.

Personal protective equipment			
Respiratory protection	: Use a properly fitted NIOSH approved air-purifying or air respirator complying with an approved standard if a risk assessment indicates this is necessary.		
	The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapor/aerosol/particulates) that may arise when ha the product. If this concentration is exceeded, self-contabreathing apparatus must be used.	Indling	
Hand protection Remarks	Chemical-resistant, impervious gloves complying with a approved standard should be worn at all times when ha chemical products if a risk assessment indicates this is necessary.		
Eye protection	Safety eyewear complying with an approved standard s be used when a risk assessment indicates this is neces		
Skin and body protection	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, an the specific work-place.	id to	
Hygiene measures	Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handl product. Remove respiratory and skin/eye protection only after v have been cleared from the area. Remove contaminated clothing and protective equipment before entering eating areas. Wash thoroughly after handling.	apors	

9. Physical and chemical properties

Appearance	:	liquid
Color	:	white
Odor	:	mild aromatic
Odor Threshold	:	no data available
Flash point	:	> 212 °F (> 100 °C)
Ignition temperature	:	not applicable
Decomposition temperature	:	no data available
Lower explosion limit (Vol%)	:	no data available

Revision Date 09/18/2014



Upper explosion limit (Vol%)	:	no data available
Flammability (solid, gas)	:	no data available
Oxidizing properties	:	no data available
Autoignition temperature	:	no data available
рН	:	Note: not applicable
Melting point/range / Freezing point	:	no data available
Boiling point/boiling range	:	no data available
Vapor pressure	:	no data available
Density	:	ca.1.16 g/cm3 at 73 °F (23 °C)
Water solubility	:	Note: insoluble
Partition coefficient: n- octanol/water	:	no data available
Viscosity, dynamic	:	no data available
Viscosity, kinematic	:	> 20.5 mm2/s at 104 °F (40 °C)
Relative vapor density	:	no data available
Evaporation rate	:	no data available
Burning rate	:	no data available
Volatile organic compounds (VOC) content	:	238 g/l A+B Combined

10. Stability and reactivity

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Decomposes on heating.
Possibility of hazardous reactions	: Stable under recommended storage conditions.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Acids and bases Reducing agents Heavy metals

SikaPronto® 19 TF Part B



11. Toxicological information

Acute toxicity Product	
Acute oral toxicity	: no data available
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: no data available
Ingredients: dibenzoyl peroxide : Acute oral toxicity Acute inhalation toxicity	 LD50 Oral rat: > 5,000 mg/kg LC50 rat: > 24.3 mg/l Exposure time: 4 h
Skin corrosion/irritation <u>Product</u>	

no data available

Serious eye damage/eye irritation

Product

Causes serious eye irritation.

Respiratory or skin sensitization

Product

May cause an allergic skin reaction.

Germ cell mutagenicity

Product

Mutagenicity	: no data available

Carcinogenicity

Product

Carcinogenicity	: no data available
-----------------	---------------------

IARC	not applicable
NTP	not applicable
Democrative Texicity/Centility	

Reproductive Toxicity/Fertility

Product

Reproductive toxicity

: no data available

SikaPronto® 19 TF Part B

Revision Date 09/18/2014



Reproductive Toxicity/Development/Teratogenicity

Product

Teratogenicity

: no data available

STOT-single exposure

Product Assessment: no data available

STOT-repeated exposure

Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Product

Assessment: no data available

Aspiration toxicity

Product

no data available

12. Ecological information

Other information Do not empty into drains; dispose of this material and its container in a safe way. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

13. Disposal considerations

Disposal methods

Waste from residues	:	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT UN number

3103

Revision Date 09/18/2014



Description of the goods	Organic peroxide type C, liquid
Class	(dibenzoyl peroxide)
Packing group	5.2
Labels	II
Emergency Response	5.2
Guidebook Number	146
IATA UN number Description of the goods Class Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft)	 3103 Organic peroxide type C, liquid (dibenzoyl peroxide) 5.2 5.2 (HEAT) 570 570
IMDG	3103
UN number	ORGANIC PEROXIDE TYPE C, LIQUID
Description of the goods	(dibenzoyl peroxide)
Class	5.2
Labels	5.2
EmS Number 1	F-J
EmS Number 2	S-R
Marine pollutant	no

DOT: For Limited Quantity exceptions reference 49 CFR 173.152 (b) IMDG: For Limited Quantity special provisions reference IMDG Code Chapter 3.4

Special precautions for user

no data available

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

15. Regulatory information

TSCA list : All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

Print Date 09/18/2014

Revision Date 09/18/2014

SARA304 Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

defects.

SARA 311/312 Hazards	Acute Health Hazard Chronic Health Hazard Fire Hazard Reactivity Hazard
SARA 302	: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	 The following components are subject to reporting levels established by SARA Title III, Section 313: dibenzoyl peroxide 94-36-0 15.00 %
Clean Air Act	
Ozone-Depletion Potential	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Air Act Section 12 (40 CFR 61)	any chemicals listed under the U.S. Clean Air Act Section 112(r) for
California Prop 65	This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive

16. Other information

HMIS Classification

Health *	2
Flammability	1
Physical Hazard	2
Personal Protection	X

Caution: HMIS® rating is based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® rating is not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® rating is to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). Please note HMIS® attempts to convey full health warning information to all employees.

Notes to Reader

The information contained in this Safety Data Sheet applies only to the actual Sika Corporation ("Sika") product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein

SikaPronto® 19 TF Part B





is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed in Section 1 of this SDS.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sikausa.com or 201-933-8800.

Revision Date 09/18/2014

Material number: 187554