

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: CRETE-LEASE 880 Synonyms: Mould Oil / Release Agent

Use: Release concrete from Concrete formwork

Supplier: ACTECH INTERNATIONAL PTY LTD ACN: 053 771 225

Street Address: 148 Sussex Street Pascoe Vale VIC 3044

Emergency Telephone: Leonard Samuel (03) 9357 3366 (Business Hours) 0412 323 206 (After Hours)

### 2. HAZARDS IDENTIFICATION

#### HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

Hazard Category: Xn: Harmful; Xi: Irritant

Hazard Classification: Classified as hazardous according to the criteria of NOHSC, and

not classified as Dangerous Goods according to the Australian

Dangerous Goods Code.

**Risk Phrases:** R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

**Safety Phrases:** S23 Do not breathe vapour.

S24 Avoid contact with skin.

S62 If swallowed, do not induce vomiting: seek medical advice

immediately and show this MSDS.

Poison Schedule (Australia): 5

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Entity	C.A.S. No.	Exposure Limit	Hazards
Fatty Acid Salt	N/A	Not Established	Irritant
Hydrotreated Napthenic Distllate (Mineral Oil)	64742-48-9	5mg/M3	Irritant

## 4. FIRST AID MEASURES

**EYE CONTACT:** Flush with water for 15 minutes. If irritation persists, get immediate medical

attention.

**SKIN CONTACT:** Wash with soap and water until no odour remains. If irritation persists, get

immediate medical attention.

**INHALATION:** Move away from vapours to fresh air source. Rest until normal breathing is

restored. If irritation persists, get immediate medical attention.

**INGESTION:** DO NOT INDUCE VOMITING. Do not give liquids. Get immediate medical

assistance. Small amounts entering the mouth should be rinsed out until no

taste remains.

Notes to Doctor: Treat symptomatically.



## 5. FIRE FIGHTING MEASURES

**Specific Hazards:** Carbon monoxide may be evolved if incomplete combustion occurs. Will float and can be reignited on surface water. The vapour is heavier than air, spreads along the ground and distant ignition is possible.

**Suitable Extinguishing Media:** Foam, water spray (fog), dry chemical, carbon dioxide and vaporizing liquid type extinguishing agents may all be suitable for extinguishing fires involving this type of product depending on size or potential size of fire and circumstances related to the situation. Plan fire protection and response strategy through consultation with local fire protection authorities or appropriate specialists. Self-contained breathing apparatus and full protective clothing should be worn.

Unsuitable Extinguishing Media: Do not use water in a jet.

Hazchem Code: None allocated

#### 6. ACCIDENTAL RELEASE MEASURES

Prevent ignition, stop leak, ventilate area, contain spill by diking or impounding. Minor spills should be contained and mopped up quickly to prevent an accident. Will make concrete surfaces slippery. For large spills, contain using sand or soil. Absorb using sand, soil, vermiculite or some other inert material. Wear respiratory protection for large spill, leak or release.

Prevent product from entering sewers, storm drains, surface waters and soil where possible. Collect and seal in properly labelled containers for disposal. Refer to State Land Waste Authority for disposal. Flush area with water.

#### 7. HANDLING AND STORAGE

**Handling advice:** Not classified as a Dangerous substance for the purpose of transport, storage or handling. No special requirements.

Storage advice: Keep dry and avoid spillage.

# 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Occupational Exposure Limits: None assigned for this product.

Engineering Controls: Provide adequate ventilation when using or handling this product.

Personal Protection Equipment: Wear protective clothing, gloves and an eye shield.

**RESPIRATORY:** Use with adequate ventilation. Ventilate as needed to comply with exposure limit. Use respiratory equipment compying with AS/NZS 1716.

EYES: Use splash proof chemical goggles or face shield where eye contact may occur.

**SKIN:** Use nitrile rubber gloves if prolonged or repeated skin contact cannot be avoided. Wash skin thoroughly after contact.

WORK/HYGENIC PRACTICES: Rinse skin with soap and water after contact.



# 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Amber Liquid

ODOUR: Mild

**FLAMMABILITY LIMITS:** Not Flammable

FLASH POINT: 63°C

DENSITY: 0.85 Tons per m³
SOLUBILITY IN WATER: Not Soluble
VAPOR PRESSSURE: Less than Ether
CORROSIVENESS: Non corrosive

### 10. STABILITY AND REACTIVITY

Reaction with Water: Non-reactive

**Stability:** Stable when stored in sealed container at room temperature.

Hazardous Polymerization:. Will Not Occur

Incompatible Materials: Strong Oxidizing Agents

Hazardous Decomposition Products: Carbon Dioxide or Carbon Monoxide upon thermal

decomposition.

### 11. TOXICOLOGICAL INFORMATION

No adverse health effects are expected, if the product is handled in accordance with this material safety data sheet and label. Symptoms and effects that may arise if the product is manhandled and overexposure occurs are:

**Acute Health Effects:** 

**EYE CONTACT:** Contact with the eye may cause moderate irritation.

**SKIN CONTACT:** Prolonged or repeated exposure may cause defatting of the skin

resulting in moderate skin irritation. The use of gloves is strongly

recommended.

**INHALATION:** Excessive exposures may cause irritations to eyes, nose and

mucous membranes. Excessive exposures may cause dizziness

and other central nervous system effects.

**INGESTION:** This product has a low odor of acute toxicity. Pulmonary aspiration

hazard if swallowed and vomiting occurs.

**CARCINOGENIC:** None of the components of this product are listed as carcinogenic

by NOHSC, ASCC, IARC, NTP or OSHA.

MEDICAL CONDITIONS
AGRAVATED BY

May cause irritation to skin.



#### **EXPOSURE:**

# 12. ECOLOGICAL INFORMATION

Avoid contaminating waterways. Contain spills and dispose of containments.

# 13. DISPOSAL CONSIDERATIONS

Refer to Waste Management Authority.

#### 14. TRANSPORT INFORMATION

UN Number:
Proper Shipping Name:
CRETE-LEASE 880
Dangerous Goods Class:
Subsidiary risk:
Packing Group:
Hazchem Code:
None allocated
None allocated
None allocated
None allocated

**Road and Rail Transport:** Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) for transport by road and rail.

# 15. REGULATORY INFORMATION

Poisons Schedule: 5

## 16. OTHER INFORMATION

The information and recommendations contained herein are, to the best of ACTECH INTERNATIONAL PTY LTD'S belief, accurate and reliable as of the date issued. This M.S.D.S. is valid for 5 years from the date of issue but may be withdrawn and revised anytime prior to that date. Please ensure that you are using the latest issue.

All information contained in this Material Safety Data Sheet is as accurate and up-to-date as possible. ACTECH INTERNATIONAL PTY LTD does not warrant or guarantee their accuracy or reliability, and shall not be liable for any loss or damage arising out of the use thereof. Since ACTECH INTERNATIONAL PTY LTD can not anticipate or control the conditions under which this information can be used, each user should review this information in the specific context of the intended application. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use.

ACTECH INTERNATIONAL PTY LTD will not be responsible for any damage or loss of any nature resulting from the use of or reliance upon this information. No expressed or implied warranties are given other than those implied mandatorily by Commonwealth, State or Territory legislation.

Issue Date: 14-04-12