Tel.: (866) 329-8724

# Safety Data Sheet acc. to OSHA HCS

Printing date 01/17/2015 Reviewed on 01/17/2015

#### 1 Identification

· Product identifier

· Trade name: HD 25 VO

· Article number: 83-67458

- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dayton® Superior

4226 Kansas Avenue

Kansas City, KS 66106

Emergency Telephone Number: Use only in the event of an emergency involving a spill, leak, fire, exposure, or accident involving chemicals. Within the U.S., Canada, or the U.S. Virgin Islands, call ChemTrec at (800) 424-9300, 24 hours a day. Or, outside these areas, call international number, +1 703 741-5970. Collect calls are accepted.

· Information department: Environmental, Health, and Safety department.

#### 2 Hazard(s) identification

· Classification of the substance or mixture

Carc. 1A H350 May cause cancer.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

May cause eye and skin irritation. Prolonged contact may cause sensitization.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to internationally acknowledged calculation procedures using the latest valid versions.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

Quartz (SiO2)

· Hazard statements

May cause cancer.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Use personal protective equipment as required.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

 $Dispose\ of\ contents/container\ in\ accordance\ with\ local/regional/national/international\ regulations.$ 

(Contd. on page 2)

Printing date 01/17/2015 Reviewed on 01/17/2015

Trade name: HD 25 VO

(Contd. of page 1)

- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- $\cdot$  **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous c	omponents:	
14808-60-7	Quartz (SiO2)	25-50%
471-34-1	calcium carbonate	10-25%
26499-65-0	Calcium sulfate	≤10%
1332-58-7	Kaolin	≤5%
65997-15-1	Cement, portland, chemicals	≤ 2.5%

· Additional information: For the wording of the listed risk phrases refer to section 16.

#### 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Seek medical treatment.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 01/17/2015 Reviewed on 01/17/2015

Trade name: HD 25 VO

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive-pressure mode.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

· Precautions for safe handling

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing vapors or mists of this product. Use with adequate ventilation. Do not take internally.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 14808-60-7 Quartz (SiO2)

PEL see Quartz listing

REL Long-term value: 0.05\* mg/m<sup>3</sup>

\*respirable dust; See Pocket Guide App. A

TLV Long-term value: 0.025\* mg/m³
\*as respirable fraction

#### 471-34-1 calcium carbonate

PEL Long-term value: 15\*5\*\* mg/m<sup>3</sup>

\*total dust \*\*respirable fraction

REL Long-term value: 10\* 5\*\* mg/m³ \*total dust \*\*respirable fraction

TLV TLV withdrawn

(Contd. on page 4)

Printing date 01/17/2015 Reviewed on 01/17/2015

Trade name: HD 25 VO

26499-65-0 Calcium sulfate

(Contd. of page 3)

- PEL Long-term value: 15\*5\*\* mg/m<sup>3</sup> \*total dust \*\*respirable fraction
- REL Long-term value: 10\* 5\*\* mg/m<sup>3</sup> \*total dust \*\*respirable fraction

#### 1332-58-7 Kaolin

- PEL Long-term value: 15\*5\*\* mg/m<sup>3</sup> \*total dust \*\*respirable fraction
- REL Long-term value: 10\* 5\*\* mg/m<sup>3</sup> \*total dust \*\*respirable fraction
- TLV Long-term value: 2\* mg/m<sup>3</sup> E; as respirable fraction

#### 65997-15-1 Cement, portland, chemicals

- PEL Long-term value: 50 mppcf or 15\* 5\*\* mg/m<sup>3</sup>
  - \*total dust \*\*respirable fraction
- REL Long-term value: 10\*5\*\* mg/m³ \*total dust \*\*respirable fraction
- TLV Long-term value: 1\* mg/m<sup>3</sup> *E*; \*as respirable fraction
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Wear appropriate eye protection to prevent eye contact.

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Solid

(Contd. on page 5)

Printing date 01/17/2015 Reviewed on 01/17/2015

Trade name: HD 25 VO

		(Contd. of page
Color:	According to product specification	
Odor:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	> 999 °C (> 1830 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	2.77142 g/cm³ (23.127 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Soluble.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0 %	
Solids content:	100.0 %	
Other information	No further relevant information available.	
Volatile Organic Compounds:	Not determined	

### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 6)

Printing date 01/17/2015 Reviewed on 01/17/2015

Trade name: HD 25 VO

(Contd. of page 5)

· Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: May cause skin irritation.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

caremogen		
· IARC (Inter	national Agency for Research on Cancer)	
14808-60-7	Quartz (SiO2)	1
13983-17-0	Wollastonite	3
7631-86-9	silicon dioxide, chemically prepared	3
13463-67-7	titanium dioxide	2B
1309-37-1	diiron trioxide	3
· NTP (Natio	nal Toxicology Program)	
14808-60-7	Quartz (SiO2)	K
· OSHA-Ca (	Occupational Safety & Health Administration)	
None of the	ingredients is listed.	

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of as normal garbage. Do not allow product to reach sewage system.

It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according to local, state, federal, and provincial environmental regulations.

(Contd. on page 7)

Printing date 01/17/2015 Reviewed on 01/17/2015

Trade name: HD 25 VO

(Contd. of page 6)

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to Federal, State, and Local regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, ADR, IMDG, IATA	Not Regulated
UN proper shipping name ADR	Not Regulated
Transport hazard class(es)	
DOT, ADR, IMDG, IATA Class	N/A
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No
Transport in bulk according to Annex II of MARPOL73, and the IBC Code	/78 Not applicable.
Transport/Additional information:	
ADR U.S. Domestic Ground Shipments: U.S. Domestic Ground Non-Bulk (119 gal or less per	Same as listed for Standard Shipments above.
container) Shipments:	Same as listed for Standard Shipments above.
Emergency Response Guide (ERG) Number:	Not determine
· UN ''Model Regulation'':	UN-, -, N/A, III

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the chemicals are listed below.

1344-28-1	aluminium oxide	≤1%
554-13-2	lithium carbonate	≤1%
· TSCA (Toxi	ic Substances Control Act):	
14808-60-7	Quartz (SiO2)	
65997-16-2	Cement, alumina, chemicals	
471-34-1	calcium carbonate	
13983-17-0	Wollastonite	

(Contd. on page 8)

Printing date 01/17/2015 Reviewed on 01/17/2015

Trade name: HD 25 VO

	Kaolin	(Contd. of page
	Cement, portland, chemicals	
	silicon dioxide, chemically prepared	
	aluminium oxide	
	Magnesite	
	titanium dioxide	
	calcium sulphate, natural	
	lithium carbonate	
	Iron oxide	
12136-45-7	dipotassium oxide	
	diiron trioxide	
Proposition		
-	known to the State of California (Prop. 65) to cause cancer:	
	Quartz (SiO2)	
	titanium dioxide	
	known to cause reproductive toxicity for females:	
	ingredients is listed.	
	known to cause reproductive toxicity for males:	
None of the	ingredients is listed.	
	known to cause developmental toxicity:	
554-13-2 li	thium carbonate	
Canceroger	nity categories	
	nity categories conmental Protection Agency)	
EPA (Envir	conmental Protection Agency)	
<b>EPA (Envir</b> None of the	ingredients is listed.	
<b>EPA (Envir</b> None of the <b>TLV (Thres</b>	ingredients is listed.  chold Limit Value established by ACGIH)	
EPA (Envir None of the TLV (Thres 14808-60-7	ingredients is listed.  shold Limit Value established by ACGIH)  Quartz (SiO2)	
EPA (Envir None of the TLV (Thres 14808-60-7 1332-58-7	ingredients is listed.  chold Limit Value established by ACGIH)  Quartz (SiO2)  Kaolin	A
EPA (Envir None of the TLV (Thres 14808-60-7 1332-58-7 1344-28-1	ingredients is listed.  chold Limit Value established by ACGIH)  Quartz (SiO2)  Kaolin  aluminium oxide	A A
EPA (Envir None of the TLV (Thres 14808-60-7 1332-58-7 1344-28-1 13463-67-7	ingredients is listed.  hold Limit Value established by ACGIH)  Quartz (SiO2)  Kaolin  aluminium oxide  titanium dioxide	A A A
EPA (Envir None of the TLV (Thres 14808-60-7 1332-58-7 1344-28-1 13463-67-7 1309-37-1	ingredients is listed.  chold Limit Value established by ACGIH)  Quartz (SiO2)  Kaolin  aluminium oxide  titanium dioxide  diiron trioxide	A A A
EPA (Envir None of the TLV (Thres 14808-60-7 1332-58-7 1344-28-1 13463-67-7 1309-37-1 1309-48-4	ingredients is listed.  hold Limit Value established by ACGIH)  Quartz (SiO2)  Kaolin  aluminium oxide  titanium dioxide  diiron trioxide  magnesium oxide	F. F. F.
EPA (Envir None of the TLV (Thres 14808-60-7 1332-58-7 1344-28-1 13463-67-7 1309-37-1 1309-48-4 MAK (Gern	ingredients is listed.  indid Limit Value established by ACGIH)  Quartz (SiO2)  Kaolin  aluminium oxide  titanium dioxide  diiron trioxide  magnesium oxide  man Maximum Workplace Concentration)	F F F
EPA (Envir None of the TLV (Thres 14808-60-7 1332-58-7 1344-28-1 13463-67-7 1309-37-1 1309-48-4 MAK (Gern 14808-60-7	ingredients is listed.  chold Limit Value established by ACGIH)  Quartz (SiO2)  Kaolin aluminium oxide titanium dioxide diiron trioxide magnesium oxide  chan Maximum Workplace Concentration)  Quartz (SiO2)	A A A A A A A A A A A A A A A A A A A
EPA (Envir None of the TLV (Thres 14808-60-7 1332-58-7 1344-28-1 13463-67-7 1309-37-1 1309-48-4 MAK (Gern 14808-60-7 1344-28-1	ingredients is listed.  hold Limit Value established by ACGIH)  Quartz (SiO2)  Kaolin  aluminium oxide  titanium dioxide  diiron trioxide  magnesium oxide  nan Maximum Workplace Concentration)  Quartz (SiO2)  aluminium oxide	A A A A A A A A A A A A A A A A A A A
EPA (Envir None of the TLV (Thres 14808-60-7 1332-58-7 1344-28-1 13463-67-7 1309-37-1 1309-48-4 MAK (Gern 14808-60-7 1344-28-1	ingredients is listed.  chold Limit Value established by ACGIH)  Quartz (SiO2)  Kaolin aluminium oxide titanium dioxide diiron trioxide magnesium oxide  chan Maximum Workplace Concentration)  Quartz (SiO2)	A A A A A A A A A A A A A A A A A A A
EPA (Envir None of the TLV (Thres 14808-60-7 1332-58-7 1344-28-1 13463-67-7 1309-37-1 1309-48-4 MAK (Gern 14808-60-7 1344-28-1 13463-67-7	ingredients is listed.  hold Limit Value established by ACGIH)  Quartz (SiO2)  Kaolin  aluminium oxide  titanium dioxide  diiron trioxide  magnesium oxide  nan Maximum Workplace Concentration)  Quartz (SiO2)  aluminium oxide	A A A A A A A A A A A A A A A A A A A
EPA (Envir None of the TLV (Thres 14808-60-7 1332-58-7 1344-28-1 13463-67-7 1309-48-4 MAK (Gern 14808-60-7 1344-28-1 13463-67-7 NIOSH-Ca	ingredients is listed.  chold Limit Value established by ACGIH)  Quartz (SiO2)  Kaolin  aluminium oxide  titanium dioxide  diiron trioxide  magnesium oxide  chan Maximum Workplace Concentration)  Quartz (SiO2)  aluminium oxide  titanium dioxide	A A A A A A A A A A A A A A A A A A A

Printing date 01/17/2015 Reviewed on 01/17/2015

Trade name: HD 25 VO

· Hazard pictograms

(Contd. of page 8)



- · Signal word Danger
- · Hazard-determining components of labeling:

Quartz (SiO2)

· Hazard statements

May cause cancer.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Use personal protective equipment as required.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations:
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

The provided information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Environmental, Health & Safety Department
- · Contact: Environmental, Health & Safety Manager
- · Date of preparation / last revision 01/17/2015 / 20
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

Carc. 1A: Carcinogenicity, Hazard Category 1A

HEA