

SAFETY DATA SHEET E-Z KLEEN

SECTION 1: IDENTIFICATION

Product Name: Product Code: Product Use: Manufacturer's Name: Address: Address: Business Phone: Emergency Phone: Date of Preparation: Date of Last Revision: Regulatory Standard:

E-Z Kleen K50 Soap E-ZOIL Products, Inc. 234 Fillmore Avenue Tonawanda, NY 14150 USA 855-693-9645 800-633-8253 PERS October 1, 2015 October 1, 2015 CFR29 1910.1200 HazCom 2012

SECTION 2: HAZARDS IDENTIFICATION

GHS-US classification Skin Corrosion 1C Serious Eye Damage 1

Hazard pictograms (GHS-US):



Signal word (GHS-US): Danger

Hazard statements (GHS-US): Causes severe skin burns and eye damage.

Precautionary statements (GHS-US): Do not breathe dusts or mists. Wash hands thoroughly after handling. Wear protective gloves, protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center/doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Store locked up. Dispose of contents/container in accordance with local, regional, national and international regulations.

Other Hazards: Causes severe damage to the respiratory tract.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Name	CAS Number	%	
Sodium xylene sulfonate	(CAS No) 1300-72-7	10 - 30	
Alcohols, C9-11, ethoxylated	(CAS No) 68439-46-3	5 - 10	
Tetrasodium EDTA	(CAS No) 64-02-8	5 - 10	

	Sodium metasilicate	(CAS No) 6834-92-0	1 - 5
--	---------------------	--------------------	-------

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: FIRST AID MEASURES

First-aid measures after inhalation:	If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get immediate medical advice/attention.
First-aid measures after eye contact:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.
First-aid measures after ingestion:	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Rinse mouth. Get immediate medical advice/attention.

Most important symptoms and effects, both acute and delayed:

Symptoms/injuries after inhalation:	May be harmful if inhaled. Causes severe damage to the respiratory tract.
Symptoms/injuries after skin contact:	Causes severe skin burns. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact:	Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/injuries after ingestion:	May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

Indication of any immediate medical attention and special treatment needed:

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECTION 5: FIRE FIGHTING MEASURES

Suitable extinguishing media:	Treat for surrounding material.
Unsuitable extinguishing media:	None known.
Fire hazard:	Products of combustion may include, and are not limited to: oxides of carbon.
	Keep upwind of fire. Wear full firefighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). Use water spray to keep fire-exposed containers cool.

SECTION 6: ACCIDENTAL RELEASE MEASURES

General measures:	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
For containment:	Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for cleaning up:	Scoop up material and place in a disposal container. Provide ventilation.

See section 8 for further information on protective clothing and equipment and section 13 for advice on waste disposal.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling:	Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapors/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Provide adequate ventilation.
Hygiene measures:	Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
Storage conditions:	Keep out of the reach of children. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area. Keep container tightly closed when not in use.
Storage temperature:	39 - 120 °F

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Sodium xylene sulfonate (1300-72-7)		
ACGIH	Not applicable	
OSHA	Not applicable	

Alcohols, C9-11, ethoxylat	ed (68439-46-3)
ACGIH	Not applicable
OSHA	Not applicable

Tetrasodium EDTA (64-02-8)	
ACGIH	Not applicable
OSHA	Not applicable

Sodium metasilicate (6834	-92-0)
ACGIH	Not applicable
OSHA	Not applicable

Appropriate engineering controls: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Hand protection :

Wear chemically resistant protective gloves.

Eye protection:	Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) / face (face shield) protection.
Skin and body protection:	Wear suitable protective clothing, including appropriate boots, boot covers, overshoes, etc., as may be appropriate.
Respiratory protection:	None necessary under normal conditions of use.
Environmental exposure controls:	Maintain levels below community environmental protection thresholds.
Other information:	Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid
Appearance:	No data available
Color:	Red
Odor:	Light
Odor threshold:	No data available
pH:	12
Melting point:	No data available
Freezing point:	No data available
Boiling point:	212°F (100°C)
Flash point:	No data available
Relative evaporation rate:	No data available
Flammability (solid, gas):	Not flammable
Explosive limits:	No data available
Explosive properties:	No data available
Oxidizing properties:	No data available
Vapor pressure:	1 mm Hg @ 68 °F
Relative density:	1.07
Relative vapor density at 20 °C:	No data available
Solubility:	Miscible
Partition coefficient: n-octanol/water:	No data available
Log Kow:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	No data available
Viscosity, kinematic:	No data available
Viscosity, dynamic:	No data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical Stability: Stable under normal storage conditions. May form flammable/explosive vapor-air mixture.

Possibility of hazardous reactions: No dangerous reaction known under conditions of normal use.

Conditions to avoid: Heat. Incompatible materials.

Incompatible materials: Acids

Hazardous decomposition products: May include, and are not limited to: oxides of carbon.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity: Harmful if swallowed.

E-Z KLEEN		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat	No data available.	
Sodium xylene sulfonate (1300-72-7)		
LD50 oral rat	> 2000 mg/kg	
Alcohols, C9-11, ethoxylated (68439-46-3)		
LD50 oral rat	1400 mg/kg	
Tetrasodium EDTA (64-02-8)		
LD50 oral rat	1658 mg/kg	
Sodium metasilicate (6834-92-0)		
LD50 oral rat	1153 mg/kg	

Skin corrosion/irritation: Causes severe skin burns.

Serious eye damage/irritation: Causes serious eye damage.

Respiratory or skin sensitization: Based on available data, the classification criteria are not met. Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation: May be harmful if inhaled. Causes severe damage to the respiratory tract.

Symptoms/injuries after skin contact: Causes severe skin burns. Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Symptoms/injuries after eye contact: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.

Symptoms/injuries after ingestion: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

SECTION 12: ECOLOGICAL INFORMATION

Ecology - general: May cause long-term adverse effects in the aquatic environment.

Persistence and degradability

E-ZOIL Products, Inc.

E-Z Kleen	
Persistence and degradability	Not established.

Bioaccumulative potential

E-Z Kleen	
Bioaccumulative potential	Not established.

Mobility in soil: No additional information available

Other adverse effects: Effect on the global warming - No known ecological damage caused by this product.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste disposal recommendations: This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

SECTION 14: TRANSPORT INFORMATION

UN number: UN3253

Proper Shipping Name (DOT): Corrosive liquids, n.o.s.(Disodium trioxosilicate)

Transport hazard class(es) (DOT): 8

Hazard labels (DOT):





May be shipped as a Limited Quantity when transported in containers no larger than 5 L (1.3 gallons); in packages not exceeding 30 kg (66 pounds) gross mass. Until December 31, 2020, a limited quantity package may be renamed as 'Consumer commodity' and reclassed as ORM-D, when shipping by ground within the United States. Refer to 49 CFR Section 173.154.

SECTION 15: REGULATORY INFORMATION

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Federal regulations:

N/A

State regulations:

E-Z Kleen	
State or local regulations	This product contains a chemical known to the State of California to
	cause cancer.

SECTION 16: OTHER INFORMATION

E-ZOIL Products, Inc.

Other information: None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.