

Hilti Crack Injection System CI 060

Safety information for 2-Component-products

Date of issue: 24/08/2016

Revision date: 09/08/2016

Supersedes: 24/08/2016

Version: 8.0

SECTION 1: Kit identification

1.1 Product identifier

Name Hilti Crack Injection System CI 060
 Product code BU Chemicals

1.2 Details of the supplier of the Safety information for 2-Component-products

Hilti, Inc.
 Legacy Tower, Suite 1000
 75024 Plano - USA
 T +1 9724035800
 1-800-879-8000 toll free - F +1 918 254 0522

SECTION 2: General information

A SDS for each of these components is included. Please do not separate any component SDS from this cover page

SECTION 3: Kit contents

Classification of the Product

GHS-US classification

Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



GHS05

GHS07

GHS08

GHS09

Signal word (GHS-US)

Danger

Hazard statements (GHS-US)

H302+H312 - Harmful if swallowed or in contact with skin
 H314 - Causes severe skin burns and eye damage
 H317 - May cause an allergic skin reaction
 H341 - Suspected of causing genetic defects
 H410 - Very toxic to aquatic life with long lasting effects

P260 - Do not breathe vapours
 P273 - Avoid release to the environment
 P280 - Wear eye protection, protective clothing, protective gloves
 P302+P352 - IF ON SKIN: Wash with plenty of soap and water
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P308+P313 - IF exposed or concerned: Get medical advice/attention

Precautionary statements (GHS-US)

Additional information

Hilti Crack Injection System CI 060

Safety information for 2-Component-products

Name	General description	Quantity	Unit	GHS-US classification
CI 060, B		1	pcs (pieces)	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
CI 060, A		1	pcs (pieces)	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Muta. 2, H341 Aquatic Chronic 2, H411

SECTION 4: General advice

No data available

SECTION 5: Safe handling advice

Environmental precautions	Avoid release to the environment
Storage conditions	Store locked up Store in a well-ventilated place Keep cool
Precautions for safe handling	Ensure good ventilation of the work station Obtain special instructions before use Do not handle until all safety precautions have been read and understood Do not get in eyes, on skin, or on clothing Wear personal protective equipment Avoid breathing vapours
Methods for cleaning up	Notify authorities if product enters sewers or public waters
For containment	Collect spillage

SECTION 6: First aid measures

First-aid measures after eye contact	Rinse eyes with water as a precaution
First-aid measures after ingestion	Rinse mouth Call a poison center or a doctor if you feel unwell
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing
First-aid measures after skin contact	Wash skin with plenty of water Take off contaminated clothing If skin irritation or rash occurs: Get medical advice/attention
First-aid measures general	IF exposed or concerned: Get medical advice/attention Call a poison center or a doctor if you feel unwell
Symptoms/injuries after skin contact	May cause an allergic skin reaction
Other medical advice or treatment	Treat symptomatically

SECTION 7: Fire fighting measures

Protection during firefighting	Do not attempt to take action without suitable protective equipment Self-contained breathing apparatus Complete protective clothing
Hazardous decomposition products in case of fire	Toxic fumes may be released

SECTION 8: Other information

No data available

CI 060, A

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 08/24/2016

Revision date: 08/24/2016

Supersedes: 08/24/2016

Version: 8.0

SECTION 1: Identification

1.1. Identification

Product form	Mixture
Name	CI 060, A
Product code	BU Chemicals

1.2. Relevant identified uses of the substance or mixture and uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Hilti, Inc.
 Legacy Tower, Suite 1000
 75024 Plano - USA
 T +1 9724035800
 1-800-879-8000 toll free - F +1 918 254 0522

Supplier

Hilti, Inc.
 Legacy Tower, Suite 1000
 75024 Plano - USA
 T +1 9724035800
 1-800-879-8000 toll free - F +1 918 254 0522

Department issuing data specification sheet

Hilti AG
 Feldkircherstraße 100
 9494 Schaan - Liechtenstein
 T +423 234 2111 - F +423 234 2965
www.hilti.com

1.4. Emergency telephone number

Emergency number	Chem-Trec Tel.: 1 800 424 9300 (USA, PR, Virgin Islands, Canada) Tel.: 703 527 3887 (Other countries) +1 918 8723000 1-800-879-8000 toll free
------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Irrit. 2	H315 - Causes skin irritation
Eye Irrit. 2A	H319 - Causes serious eye irritation
Skin Sens. 1	H317 - May cause an allergic skin reaction
Muta. 2	H341 - Suspected of causing genetic defects

Full text of H statements : see section 16

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



GHS07

GHS08

Signal word (GHS-US)

Warning

Hazard statements (GHS-US)

H315 - Causes skin irritation
 H317 - May cause an allergic skin reaction

CI 060, A

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary statements (GHS-US)

H319 - Causes serious eye irritation
 H341 - Suspected of causing genetic defects
 P273 - Avoid release to the environment
 P280 - Wear eye protection, protective clothing, protective gloves
 P302+P352 - If on skin: Wash with plenty of water
 P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P308+P313 - If exposed or concerned: Get medical advice/attention
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Bisphenol-A-Epichlorhydrin Epoxy resin Average MW < 700	(CAS No) 25068-38-6	60 - 80	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
2,3-epoxypropyl o-tolyl ether	(CAS No) 2210-79-9	25 - 40	Muta. 2, H341 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.

First-aid measures after eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion: Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact: Burns. May cause an allergic skin reaction.

Symptoms/injuries after eye contact: Serious damage to eyes.

Symptoms/injuries after ingestion: Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Reactivity: The product is non-reactive under normal conditions of use, storage and transport.

CI 060, A

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Advice for firefighters

Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe vapours.

6.1.2. For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment Collect spillage.
 Methods for cleaning up Take up liquid spill into absorbent material.
 Other information Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Do not breathe vapours. Wear personal protective equipment.
 Hygiene measures Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Bisphenol-A-Epichlorhydrin Epoxy resin Average MW < 700 (25068-38-6)
Not applicable
2,3-epoxypropyl o-tolyl ether (2210-79-9)
Not applicable

8.2. Exposure controls

Appropriate engineering controls Ensure good ventilation of the work station.

CI 060, A

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment

Gloves. Protective clothing. Protective goggles.



Skin and body protection

Wear suitable protective clothing.

Respiratory protection

Wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Colour	Colourless
Odour	mild
Odour threshold	No data available
pH	No data available
Melting point	Not applicable
Freezing point	No data available
Boiling point	No data available
Flash point	138 °C
Relative evaporation rate (butylacetate=1)	No data available
Flammability (solid, gas)	No data available
Explosive limits	No data available
Explosive properties	No data available
Oxidising properties	No data available
Vapour pressure	0.0075 mm Hg
Relative density	No data available
Relative vapour density at 20 °C	No data available
Density	1.15 kg/l
Solubility	No data available
Log Pow	No data available
Auto-ignition temperature	No data available
Decomposition temperature	> 200 °C
Viscosity	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	500 - 650 mPa.s

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

CI 060, A

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Strong acids. Strong bases. Oxidizing agent.

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity Not classified

Bisphenol-A-Epichlorhydrin Epoxy resin Average MW < 700 (25068-38-6)	
LD50 oral rat	> 2000 mg/kg (Rat; OECD 420: Acute Oral toxicity – Acute Toxic Class Method; Experimental value)
LD50 dermal rat	> 2000 mg/kg (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)

2,3-epoxypropyl o-tolyl ether (2210-79-9)	
LD50 oral rat	> 5000 mg/kg (Rat)
LD50 dermal rat	> 2000 mg/kg (Rat)
LC50 inhalation rat (mg/l)	6.09 mg/l/4h (Rat)
ATE US (vapours)	6.090 mg/l/4h
ATE US (dust,mist)	6.090 mg/l/4h

Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Suspected of causing genetic defects.
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity (single exposure)	Not classified
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration hazard	Not classified
Symptoms/injuries after skin contact	Burns. May cause an allergic skin reaction.
Symptoms/injuries after eye contact	Serious damage to eyes.
Symptoms/injuries after ingestion	Burns.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general Toxic to aquatic life with long lasting effects.

Bisphenol-A-Epichlorhydrin Epoxy resin Average MW < 700 (25068-38-6)	
LC50 fish 1	1.2 mg/l (96 h; Oncorhynchus mykiss; Lethal)
EC50 Daphnia 1	1.1 - 2.8 mg/l (48 h; Daphnia magna; Locomotor effect)
LC50 fish 2	2.3 mg/l (96 h; Oncorhynchus mykiss; Nominal concentration)
Threshold limit algae 1	> 11 mg/l (72 h; Scenedesmus sp.)
Threshold limit algae 2	4.2 mg/l (72 h; Scenedesmus sp.)

CI 060, A

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2,3-epoxypropyl o-tolyl ether (2210-79-9)	
LC50 fish 1	1 - 10 mg/l (Pisces)
EC50 Daphnia 1	1 - 10 mg/l (Invertebrata)

12.2. Persistence and degradability

Bisphenol-A-Epichlorhydrin Epoxy resin Average MW < 700 (25068-38-6)	
Persistence and degradability	Not readily biodegradable in water. Hydrolysis in water. Low potential for adsorption in soil.
2,3-epoxypropyl o-tolyl ether (2210-79-9)	
Persistence and degradability	Not readily biodegradable in water. Biodegradability in soil: no data available. Photodegradation in the air.

12.3. Bioaccumulative potential

Bisphenol-A-Epichlorhydrin Epoxy resin Average MW < 700 (25068-38-6)	
BCF other aquatic organisms 1	3 - 31
Log Pow	>= 2.918 (Experimental value; EU Method A.8: Partition Coefficient; 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
2,3-epoxypropyl o-tolyl ether (2210-79-9)	
Log Pow	2.16 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

12.4. Mobility in soil

Bisphenol-A-Epichlorhydrin Epoxy resin Average MW < 700 (25068-38-6)	
Surface tension	0.0 587-0.0589,20 °C

12.5. Other adverse effects

Effect on the global warming No known effects from this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated for transport				
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the

CI 060, A

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ADR	IMDG	IATA	ADN	RID
environment : No	environment : No Marine pollutant : No	environment : No	environment : No	environment : No
not restricted according ADR Special Provision SP375, IATA-DGR Special Provision A197 and IMDG-Code 2.10.2.7				

14.6. Special precautions for user

- Overland transport

- Transport by sea

No data available

- Air transport

No data available

- Inland waterway transport

Carriage prohibited (ADN) No

Not subject to ADN No

- Rail transport

Carriage prohibited (RID) No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. US Federal regulations

Bisphenol-A-Epichlorhydrin Epoxy resin Average MW < 700 (25068-38-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C))

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2 H315

Eye Irrit. 2 H319

Skin Sens. 1 H317

Muta. 2 H341

Aquatic Chronic 2 H411

Full text of hazard classes and H-statements : see section 16

National regulations

No additional information available

15.3. US State regulations

No additional information available

CI 060, A

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Revision date 08/24/2016

Full text of H-statements:

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H341	Suspected of causing genetic defects
H411	Toxic to aquatic life with long lasting effects

SDS_US_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

CI 060, B

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 08/24/2016

Revision date: 08/24/2016

Supersedes: 08/24/2016

Version: 8.0

SECTION 1: Identification

1.1. Identification

Product form	Mixture
Name	CI 060, B
Product code	BU Chemicals

1.2. Relevant identified uses of the substance or mixture and uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Hilti, Inc.
 Legacy Tower, Suite 1000
 75024 Plano - USA
 T +1 9724035800
 1-800-879-8000 toll free - F +1 918 254 0522

Supplier

Hilti, Inc.
 Legacy Tower, Suite 1000
 75024 Plano - USA
 T +1 9724035800
 1-800-879-8000 toll free - F +1 918 254 0522

Department issuing data specification sheet

Hilti AG
 Feldkircherstraße 100
 9494 Schaan - Liechtenstein
 T +423 234 2111
chemicals.hse@hilti.com

1.4. Emergency telephone number

Emergency number	Chem-Trec Tel.: 1 800 424 9300 (USA, PR, Virgin Islands, Canada) Tel.: 703 527 3887 (Other countries) +1 918 8723000 1-800-879-8000 toll free
------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute Tox. 4 (Oral)	H302 - Harmful if swallowed
Acute Tox. 4 (Dermal)	H312 - Harmful in contact with skin
Skin Corr. 1B	H314 - Causes severe skin burns and eye damage
Skin Sens. 1	H317 - May cause an allergic skin reaction

Full text of H statements : see section 16

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



GHS05

GHS07

Signal word (GHS-US)

Danger

Hazard statements (GHS-US)

H302+H312 - Harmful if swallowed or in contact with skin
 H314 - Causes severe skin burns and eye damage

CI 060, B

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary statements (GHS-US)

H317 - May cause an allergic skin reaction
 P260 - Do not breathe vapours
 P273 - Avoid release to the environment
 P280 - Wear eye protection, protective clothing, protective gloves
 P301+P312 - If swallowed: Call a doctor, a POISON CENTER if you feel unwell
 P302+P352 - If on skin: Wash with plenty of water
 P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
pentaethylenhexamine	(CAS No) 4067-16-7	60 - 80	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzyl alcohol	(CAS No) 100-51-6	10 - 25	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact: Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.

First-aid measures after eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion: Rinse mouth. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact: Burns. May cause an allergic skin reaction.

Symptoms/injuries after eye contact: Serious damage to eyes.

Symptoms/injuries after ingestion: Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water spray. Dry powder. Foam. Carbon dioxide.

CI 060, B

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Special hazards arising from the substance or mixture

Reactivity The product is non-reactive under normal conditions of use, storage and transport.

5.3. Advice for firefighters

Protection during firefighting Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe vapours.

6.1.2. For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment Collect spillage.
 Methods for cleaning up Take up liquid spill into absorbent material.
 Other information Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe vapours. Wear personal protective equipment.
 Hygiene measures Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

pentaethylenhexamine (4067-16-7)
Not applicable
Benzyl alcohol (100-51-6)
Not applicable

8.2. Exposure controls

Appropriate engineering controls Ensure good ventilation of the work station.

CI 060, B

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment

Gloves. Protective clothing. Protective goggles.



Skin and body protection

Wear suitable protective clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Colour	Black
Odour	Amine-like
Odour threshold	No data available
pH	> 13
Melting point	Not applicable
Freezing point	No data available
Boiling point	No data available
Flash point	> 60 °C
Relative evaporation rate (butylacetate=1)	No data available
Flammability (solid, gas)	No data available
Explosive limits	No data available
Explosive properties	No data available
Oxidising properties	No data available
Vapour pressure	No data available
Relative density	No data available
Relative vapour density at 20 °C	No data available
Density	1.05 kg/l
Solubility	No data available
Log Pow	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	110 - 120 Pa.s

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

CI 060, B

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Strong acids. Oxidizing agent. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Oral: Harmful if swallowed. Dermal: Harmful in contact with skin.

CI 060, B	
ATE US (oral)	1782.669 mg/kg bodyweight
ATE US (dermal)	1222.222 mg/kg bodyweight
pentaethylenhexamine (4067-16-7)	
LD50 oral rat	1600 mg/kg (Rat)
ATE US (oral)	1600.000 mg/kg bodyweight
ATE US (dermal)	1100.000 mg/kg bodyweight
Benzyl alcohol (100-51-6)	
LD50 oral rat	1620 mg/kg
LC50 inhalation rat (mg/l)	> 4178 mg/m ³
ATE US (oral)	1620.000 mg/kg bodyweight
ATE US (dermal)	1100.000 mg/kg bodyweight
ATE US (gases)	4500.000 ppmv/4h
ATE US (vapours)	11.000 mg/l/4h
ATE US (dust,mist)	1.500 mg/l/4h

Skin corrosion/irritation Causes severe skin burns and eye damage.

pH: > 13

Serious eye damage/irritation

Not classified

pH: > 13

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Not classified

Carcinogenicity

Not classified

Reproductive toxicity

Not classified

Specific target organ toxicity (single exposure)

Not classified

Specific target organ toxicity (repeated exposure)

Not classified

Aspiration hazard

Not classified

Symptoms/injuries after skin contact

Burns. May cause an allergic skin reaction.

Symptoms/injuries after eye contact

Serious damage to eyes.

Symptoms/injuries after ingestion

Burns.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

Very toxic to aquatic life with long lasting effects.

CI 060, B

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

pentaethylenhexamine (4067-16-7)	
LC50 fish 1	180 mg/l (Poecilia reticulata)
Threshold limit algae 1	0.7 mg/l (Selenastrum capricornutum; Biomass)

12.2. Persistence and degradability

pentaethylenhexamine (4067-16-7)	
Persistence and degradability	Not readily biodegradable in water.

12.3. Bioaccumulative potential

pentaethylenhexamine (4067-16-7)	
Log Pow	-1.6 (QSAR)
Bioaccumulative potential	Bioaccumulation: not applicable.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming No known effects from this product.






SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
2735	2735	2735	2735	2735
14.2. UN proper shipping name				
AMINES, LIQUID, CORROSIVE, N.O.S. / POLYAMINES, LIQUID, CORROSIVE, N.O.S. (pentaethylenhexamine)	AMINES, LIQUID, CORROSIVE, N.O.S. (pentaethylenhexamine)	Amines, liquid, corrosive, n.o.s. (pentaethylenhexamine)	AMINES, LIQUID, CORROSIVE, N.O.S. (pentaethylenhexamine)	AMINES, LIQUID, CORROSIVE, N.O.S. (pentaethylenhexamine)
14.3. Transport hazard class(es)				
8	8	8	8	8
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No

CI 060, B

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ADR	IMDG	IATA	ADN	RID
not restricted according ADR Special Provision SP375, IATA-DGR Special Provision A197 and IMDG-Code 2.10.2.7				

14.6. Special precautions for user

- Overland transport

Classification code (ADR)	C7
Special provisions (ADR)	274
Limited quantities (ADR)	5I
Packing instructions (ADR)	P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	MP19
Orange plates	



Tunnel restriction code (ADR)	E
-------------------------------	---

- Transport by sea

Special provisions (IMDG)	223, 274
Limited quantities (IMDG)	5 L
Packing instructions (IMDG)	P001, LP01
EmS-No. (Fire)	F-A
EmS-No. (Spillage)	S-B
Stowage category (IMDG)	A
MFAG-No	153

- Air transport

PCA packing instructions (IATA)	852
PCA max net quantity (IATA)	5L
Special provisions (IATA)	A3

- Inland waterway transport

Classification code (ADN)	C7
Special provisions (ADN)	274
Limited quantities (ADN)	5 L
Excepted quantities (ADN)	E1
Carriage permitted (ADN)	T
Equipment required (ADN)	PP, EP
Number of blue cones/lights (ADN)	0
Carriage prohibited (ADN)	No
Not subject to ADN	No

- Rail transport

Special provisions (RID)	274
Limited quantities (RID)	5L
Packing instructions (RID)	P001, IBC03, LP01, R001
Carriage prohibited (RID)	No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

CI 060, B

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

Benzyl alcohol (100-51-6)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral) H302
 Acute Tox. 4 (Dermal) H312
 Skin Corr. 1B H314
 Eye Dam. 1 H318
 Skin Sens. 1 H317
 Aquatic Acute 1 H400
 Aquatic Chronic 1 H410

Full text of hazard classes and H-statements : see section 16

National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

Revision date 08/24/2016

Full text of H-statements:

H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

SDS_US_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product